The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : DR-431

Stream : Branch Creek

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 4" diameter sanitary sewage

vacuum main. Pipe to be buried 3' below the creek bottom. The banks of the creek will be stabilized with rip-rap following the completion of the vacuum sewer to prevent soil erosion and bank deterioration. Construction will be confined to the road right-of-way. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received

electronicaly at the Division of Water on August 24, 2004.

Location : Approximately 120'± northeast of the end of Jones Lake Rd.

at Rome City, Orange Township, Noble County

Section 7, T 35N, R 10E

Statute/Rule : "Ditch" Act, IC 14-26-5

Application # : DR-432

Lake : Jones Lake

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 4" diameter sanitary sewage

vacuum main. Pipe to be buried a minimum of 3' below the ditch bottom. The banks of the ditch will be stabilized with rip-rap following the completion of the vacuum sewer to prevent soil erosion and bank deterioration. Construction will be confined to the proposed easement. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on August 24, 2004.

Location : The project is located where the properties of Reece, Whetstone, and Hudson

meet in Orange Township, Noble County IN. Section 7, Township 35N, Range

10E.

near Rome City, Orange Township, Noble County

Section 7, T 35N, R 10E

Statute/Rule: "Ditch" Act, IC 14-26-5

RASR010 1 09/16/2004 10:05 AM

Application # : DR-433

Lake : Waldron Lake

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 4" diameter sanitary sewage

vacuum main. Pipe to be buried a minimum of 3' below the ditch bottom. The banks of the ditch will be stabilized with rip-rap following the completion of the vacuum sewer to prevent soil erosion and bank deterioration. Construction will be confined to the road right-of-way. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on August 24, 2004

Location : Approximately 1620'± from the intersection of Maplewood Drive and Waldron

Drive. The ditch crossing will be the second crossing on Waldron Drive

near Rome City, Elkhart Township, Noble County

Section 13, T 35N, R 9E, Albion Quadrangle

Quad Code: 4108544

Statute/Rule : "Ditch" Act, IC 14-26-5

Application # : DR-434

Lake : Jones Lake

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 4" diameter sanitary sewage

vacuum main. Pipe to be buried a minimum of 3' below the ditch bottom. The banks of the ditch will be stabilized with rip-rap following the completion of the vacuum sewer to prevent soil erosion and bank deterioration. Construction will be confined to the road right-of-way. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on August 24, 2004.

Location : Approximately 1050'± from the intersection of Maplewood Drive and Waldron

Drive. The ditch crossing will be the first crossing on Waldron Drive

near Rome City, Elkhart Township, Noble County

Section 13, T 35N, R 9E

Statute/Rule: "Ditch" Act, IC 14-26-5

Application # : DR-435

Stream : Dry Run Creek

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 4" diameter sanitary sewage

vacuum main. Pipe to be buried a minimum of 3' below the ditch bottom. The banks of the ditch will be stabilized with rip-rap following the completion of the vacuum sewer to prevent soil erosion and bank deterioration. Construction will be confined to the road right-of-way. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on August 25, 2004.

Location : Beginning at C.R. 900N and C.R. 50E go North 0.1 miles on C.R. 50E to

Steinbarger Lake Rd. Turn Left on Steinbarger Lake Rd. continue on Steinbarger

Lake Rd for approximately 0.3 miles until creek crossing

near Rome City, Orange Township, Noble County

Section 18, T 35N, R 10E

Statute/Rule: "Ditch" Act, IC 14-26-5

Application # : DR-436

Stream : Elkhart River

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 6" diameter sanitary sewage

vacuum main. Pipe to be buried a minimum of 3' below the ditch bottom. The banks of the ditch will be stabilized with rip-rap following the completion of the vacuum sewer to prevent soil erosion and bank deterioration. Construction will be confined to the road right-of-way. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on August 25, 2004.

Location : Beginning at C.R. 150E and C.R. 1000N go west 1.9 miles to Eagle Island Road.

Turn left (southwest) on Eagle Island Road and continue on Eagle Island Road

approximately 0.4 miles to the Eagle Island Channel crossing

near Rome City, Elkhart Township, Noble County

Section 12, T 35N, R 9E

Statute/Rule: "Ditch" Act, IC 14-26-5

RASR010 3 09/16/2004 10:05 AM

Application # : DR-437

Lake : Waldron Lake

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 6" diameter sanitary sewage

vacuum main and the construction of a 6" diameter sanitary sewage pressure main. Pipes to be buried a minimum of 3' below the channel bottom. The banks of the channel will be stabilized with rip-rap following the completion of the vacuum

sewer to prevent soil erosion and bank deterioration. Construction will be confined to the proposed easement. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on August 24, 2004.

Location : Approximately 100'± east of the end of Lakeview Drive in orange Township,

Noble County IN. Section 18, Township 35N, Range 10E.

near Rome City, Orange Township, Noble County

Section 18, T 35N, R 10E

Statute/Rule: "Ditch" Act, IC 14-26-5

Application # : DR-438

Lake : Jones Lake

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 6" diameter sanitary sewage

vacuum main. Pipe to be buried a minimum of 3' below the channel bottom. The banks of the channel will be stabilized with rip-rap following the completion of the vacuum sewer to prevent soil erosion and bank deterioration. Construction will be confined to the road right-of-way. Plans, specifications and photographs are

enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on August 25, 2004.

Location : Approximately 1.5 miles west of the intersection of C.R. 1000N and C.R. 150E,

channel crossing will be on 100N in Orange Township, Noble County IN. Section

7, Township 35N, Range 10E.

near Rome City, Orange Township, Noble County

Section 7, T 35N, R 10E

Statute/Rule: "Ditch" Act, IC 14-26-5

RASR010 4 09/16/2004 10:05 AM

Application # : DR-439

Lake : Waldron Lake

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 4" diameter sanitary sewage

vacuum main. Pipe to be buried a minimum of 3' below the channel bottom. The banks of the channel will be stabilized with rip-rap following the completion of the vacuum sewer to prevent soil erosion and bank deterioration. Construction will be confined to the road right-of-way. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on August 24, 2004

Location : Approximately 100'± northwest of the end of Sunny Acres N in Orange Township,

Noble County IN. Section 18, Township 35N, Range 10E.

near Rome City, Orange Township, Noble County

T 35N, R 10E

Statute/Rule: "Ditch" Act, IC 14-26-5

Application # : FW-23005

Stream : Tanners Creek

Applicant : Lawrenceburg Municipal Utility

Charles M Davis 405 Main Street PO Box 4198

Lawrenceburg, IN 47025-4198

Description : The City of Lawrenceburg is replacing four existing force mains that carry

groundwater/stormwater from the Remedial Pump Station (corner of Tate St. and Front St.) over the Lawrenceburg Levee to a discharge structure that drains to Tanner's Creek. Two of the existing force mains are 14-inch diameter from the pump station to the top of the levee then reduce to 12-inch diameter to the discharge structure. The remaining two existing force mains are 20-inch diameter from the pump station to the top of the levee, then reduce to 16-inch diameter to the discharge structure. The existing force mains are steel material,

approximately 40 years old and have shown signs of leakage near the pump station. The City is in the process of upgrading the Remedial Pump Station and proposes to replace the force mains to avoid potential future leakage problems. The new pipes will be ductile iron material, with the same diameter, depth, and alignment as the original pipes. Details of the project are contained in information received electronically at the Division of Water on July 26, 2004 and September

10, 2004.

Location : Beginning approximately 130' west of the intersection of Front Street and Tate

Street extending 365' to the east bank of Tanners Creek

DOWNSTREAM: at Lawrenceburg, Lawrenceburg Township, Dearborn County

NW¼, SW¼, SW¼, Section 14, T 5N, R 1W, Lawrenceburg, KY-IN-OH

Quadrangle

Quad Code: 3908417

UTM Coordinates: Downstream 4326825 North, 685375 East

UPSTREAM: Dearborn County

UTM Coordinates: Upstream 4326925 North, 685475 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23049

Stream : Tippecanoe River

Applicant : Kosciusko County

Rob Labson

100 West Center Street Warsaw, IN 46580-2873

Description : The existing bridge carrying Old U.S. 30 over the Tippecanoe River will be

rehabilitated by removing and replacing the entire bridge deck. In addition, the steel beams will be cleaned and painted. The out-to-out width of the bridge will

increase from 36'-4" to 30'-0". The road profile, low chord elevation and waterway opening will not change. Details of the project are contained in information and plans received at the Division of Water on August 19,2004

Location : on Old U S 30 West crossing

near Warsaw, Wayne Township, Kosciusko County

SE¼, SW¼, SE¼, Section 2, T 32N, R 5E, Burket Quadrangle

Quad Code: 4108528

UTM Coordinates: Downstream 4566600 North, 591500 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 7 09/16/2004 10:05 AM

Application # : FW-23057

Stream : Little Elkhart River

Applicant : Town of Middlebury

418 North Main Street

PO Box 812

Middlebury, IN 46540-0812

Description : A stormwater outfall structure will be constructed along the south bank of the

Little Elkhart River to replace an existing open ditch located landward of the floodway. A 48" reinforced concrete outfall pipe will be placed in an existing channel and covered with 2.5' of backfill in the floodplain. The 800' long pipe will carry stormwater from the Bristol Avenue to the river. The pipe will terminate with a metal end section that will discharge into a riprap lined trapezoidal channel approximately 50' from the riverbank. Field attached safety bars will be placed at the end of the pipe. Details of the project are contained in information and plans

received at the Division of Water on August 23, 2004.

Location : Approximately 500' downstream of the State Road 13 crossing

at Middlebury, Middlebury Township, Elkhart County

SE14, NE14, NW14, Section 10, T 37N, R 7E, Middlebury Quadrangle

Quad Code: 4108566

UTM Coordinates: Downstream 4614810 North, 607624 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23059

Stream : St. Joseph River

Applicant : Carroll James

29607 River Shore Lane Elkhart, IN 46516-1228

Description : An existing concrete seawall 115' long will be refaced with 8 gauge steel sheet

piling 8' long driven into the riverbed immediately streamward of the existing wall. The steel piling will be approximately 45" above the riverbed, will have a 4" x 4" angel iron top cap and anchored with 4' long steel sheet pile deadmen every 9 feet. It will be aligned with a neighboring wood wall immediately downstream. Additionally, the upstream remaining 113' of the existing wall will be covered with glacial field stone. Details of the project are contained in information and plans

received at the Division of Water on August 30, 2004

Location : On the left (south) bank of the St. Joseph River approximately 11,000'

downstream of the State Road 19 bridge crossing

DOWNSTREAM: at Elkhart, Baugo Township, Elkhart County NE¼, NE¼, SW¼, Section 2, T 37N, R 4E, Osceola Quadrangle

Quad Code: 4108661

UTM Coordinates: Downstream 4615375 North, 580400 East

UPSTREAM: Elkhart County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23060

Stream : Kankakee River

Applicant : LaPorte County Drainage Board

Christine J Keil
Courthouse

813 Lincolnway, Suite 101 LaPorte, IN 46350-3400

Description : The proposed project on involves: cleaning out the existing sediment trap, and

removing isolated sandbars upstream that are causing bank erosion. Spoils will be spread on the levee and will be and stabilized using an appropriate erosion control method. The approximate length of the site is 1320' and the approximate width is 40'. Details of the project are contained in information and plans received

at the Division of Water on August 25,2004

Location : Beginning approximately 2000' north (upstream) of the County Road 525 South

crossing and continuing upstream approximately 1320'

DOWNSTREAM: near Mill Creek, Lincoln Township, LaPorte County NW¼, SW¼, Section 27, T 36N, R 1W, Stillwell Quadrangle

Quad Code: 4108655

UTM Coordinates: Downstream 4598138 North, 539600 East

UPSTREAM: SE1/4, SW1/4, NW1/4

UTM Coordinates: Upstream 4598580 North, 539996 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23062

Stream : Clear Creek

Applicant : Bob Bland

700 Ransom Lane

Bloomington, IN 47403-2062

Description : A 25' x 36.38' addition on the south (downstream) side of an existing building will

be constructed in the right (west) overbank of Clear Creek. Additionally, a new 67' x 32' building will be constructed approximately 100' south (downstream) of the existing building. Existing asphalt paving will be removed and replaced with new paving surrounding the buildings. Two (2) small water quality retention ponds will be excavated approximately 4' deep and will discharge into the creek. Details of the project are contained in plans and information received at the

Division of Water on August 31, 2004.

Location : Along the right (west) overbank of Clear Creek beginning at the 1st Street bridge

and continuing downstream approximately 350'

DOWNSTREAM: at Bloomington, Perry Township, Monroe County SW¼, SW¼, NW¼, Section 4, T 8N, R 1W, Bloomington Quadrangle

Quad Code: 3908625

UTM Coordinates: Downstream 4334225 North, 540200 East

UPSTREAM:

UTM Coordinates: Upstream 4334325 North, 540200 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 11 09/16/2004 10:05 AM

Application # : FW-23066

Lake : Golf Lake

Applicant : V3 Lake Hills, LLC

7325 Janes Avenue

Suite 100

Woodbridge, IL 60517-2256

Description : The proposed residential subdivision will be developed along the shores of Golf

Lake. Construction activities within the floodway will consist of: the construction of 5 sediment basins, placement of fill on two lots, the construction of an access walkway and floating fishing platform, and modifications to the existing drop inlet control structure. Details of the project are contained in information and plans

received at the Division of Water on September 2, 2004

Location : At the spillway of Golf Lake, approximately 1400' upstream from the 85th Avenue

stream crossing

DOWNSTREAM: near St. John, St. John Township, Lake County NW¼, NE¼, NE¼, Section 28, T 35N, R 9W, St. John Quadrangle

Quad Code: 4108744

UTM Coordinates: Downstream 4590071 North, 461949 East UPSTREAM: SE¼, SW¼, NW¼, Section 28, T 35N, R 6E

UTM Coordinates: Upstream 4589495 North, 461485 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 12 09/16/2004 10:05 AM

Application # : FW-23068

Stream : Goose Creek

Applicant : Cass County Highway Department

Jodi M Coblentz

1251 North State Road 17 North Logansport, IN 46947-8763

Description : The existing steel beam encased in concrete bridge carrying Biddle Street over

Goose Creek will be replaced with a new structure on essentially the same alignment. The new structure will be a single span precast concrete three (3) sided structure under fill with a span length of 31 ft. It will be square in shape with wingwalls in all four (4) quadrants and placed at a 50 degree left skew to align with the existing channel. The entire area under the structure and between the wingwalls will have revetment riprap over geotextile. The approach road will be essentially at the same elevation as the existing road. The existing bridge will be completely removed. Details of the project are contained in plans and information

received at the Division of Water on September 3, 2004.

Location : At the Biddle Street bridge over Goose Creek

near Logansport, Eel Township, Cass County

NE14, NE14, SE14, Section 35, T 27N, R 1E, Anoka Quadrangle

Quad Code: 4008663

UTM Coordinates: Downstream 4510050 North, 552925 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 13 09/16/2004 10:05 AM

Application # : FW-23069

Stream : Campbells Run

Applicant : *Indiana Department of Transportation

Carole Korbly Scott

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2249

Description : The existing reinforced concrete arch bridge carrying State Road 26 over

Campbell's Run will be rehabilitated and widened by removing the deck, spandrel walls, bridge rails and wingwalls and constructing a new reinforced concrete bridge slab and widened approach slabs. New spandrel walls will be constructed and fill placed between the walls. The existing abutment footings and concrete arch ring will be expanded. New bridge rails, guardrail, wingwalls and riprap will be installed. Silt buildup in the channel under the bridge will be removed. Details of the project are contained in plans and information received at the Division of

Water on September 3, 2004.

Location : At the State Road 26 bridge over Campbell's Run

near Rossville, Ross Township, Clinton County

NW1/4, NW1/4, NE1/4, Section 26, T 23N, R 2W, Rossville Quadrangle

Quad Code: 4008645

UTM Coordinates: Downstream 4473900 North, 533175 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 14 09/16/2004 10:05 AM

Application # : FW-23070

Lake : Sweetwater Lake

Applicant : Max L Mouser

9511 East 96th Street

Indianapolis, IN 46256-9346

Description : An existing 30' wide channel (approximately) along lots SW-307 and 308 located

on the shore of Sweetwater Lake will undergo maintenance dredging along approximately 150' of the shoreline. Approximately 8' of accumulated muck and debris will be removed from the lake bed by dredging to a depth of 9' below the average normal level of the lake at a distance of 15' from the shoreline and uniformly sloping back to the average normal level at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Water from the containment area will not be allowed to

return to the lake. Details of the project are containment area will not be allowed to

electronically at the Division of Water on September 1, 2004.

Location : 7440 Grizzley Drive; lots 307 and 308, approximately 300' southwest of the

Center Lake Road and Grizzley Drive intersection

DOWNSTREAM: near Nineveh, Hamblen Township, Brown County SE¼, NE¼, NE¼, Section 18, T 10N, R 4E, Nineveh Quadrangle

Quad Code: 3908631

UTM Coordinates: Downstream 4351425 North, 575575 East

UPSTREAM: Brown County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23071

Stream : Maumee River

Applicant : City of Fort Wayne, City Utilities

Greg Meszaros

One Main Street, Room 280 Fort Wayne, IN 46802-1803

Description : A stormwater outfall structure will be constructed on the right (southwest) bank of

the Maumee River. A 42" diameter reinforced concrete outfall pipe will terminate with a gabion headwall, wingwalls and apron. Flow from the pipe will discharge into a 12' wide channel approximately 150' long consisting of 96' of 10" - 14" shot rock and 54' of reno mattress. Details of the project are contained in plans and

information received at the Division of Water on September 7, 2004.

Location : On the right (southwest) bank of the Maumee River approximately 700' upstream

of the Anthony Boulevard bridge

at Fort Wayne, Wayne Township, Allen County

NE14, NE14, SE14, Section 1, T 30N, R 12E, Fort Wayne East Quadrangle

Quad Code: 4108511

UTM Coordinates: Downstream 4549350 North, 658150 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23072

Stream : Lowther Neuhaus Ditch

Applicant : Lougheed & Associates

Scott Lougheed

1017 South Hadley Road Fort Wayne, IN 46804-5535

Description : Approximately 225' of the existing ditch will be moved about 50' north by

excavating along the north bank and using the excavated material to fill along the south bank to allow construction of a right turn lane for West State Boulevard. An existing 72" diameter RCP culvert is to be extended about 55' in the fill with riprap at the outlet. Also, 200' of 12" diameter storm sewer pipe will be installed as an outlet for a detention basin landward of the floodway and 73' of 15" diameter new storm sewer pipe will be installed to provide continued existing drainage to the relocated ditch. Details of the project are contained in plans and information

received at the Division of Water on September 7, 2004.

Location : At the West State Boulevard streamcrossing over Lowther Neuhaus Ditch

at Fort Wayne, Washington Township, Allen County

SW1/4, SE1/4, NW1/4, Section 33, T 31N, R 12E, Fort Wayne West Quadrangle

Quad Code: 4108512

UTM Coordinates: Downstream 4550800 North, 652350 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 17 09/16/2004 10:05 AM

Application # : FW-23073

Stream : Hurricane Creek

Applicant : ANR Pipeline Company

Mark Johnson

9 Greenway Plaza, Suite 1666 Houston, TX 77046-0910

Description

Approximately 100' of the left (west) streambank and hillside is to be stabilized to protect the integrity of two (2) 30" diameter natural gas pipelines. Drainage tile will be installed in the existing pipeline trenches to channel subsurface water flow down the hillside and the area then regraded to a 2.5:1 slope. Additionally, approximately 40 - 60 cubic yards of material will be excavated along the streambank in order to install approximately 100 gabion baskets in three (3) tiers with the baskets keyed into the streambed and bank. The baskets will be placed over geotextile fabric and gaps between the baskets will be filled with stone. An approximate 40' X 11' sediment deposit along the right (east) side of the stream will be excavated to return the channel to its original cross-sectional area. Two (2) access roads at grade consisting of either a gravel lane or dirt road will be required to complete the project. The streambank and hillside will be re-vegetated using native plant species. Details of the project are contained in plans and information received at the Division of Water on September 7, 2004.

Location

Along approximately 100' of Hurricane Creek approximately 4000' upstream of

the confluence with South Branch Salt Creek

near New Bellsville, Van Buren Township, Brown County

SW1/4, NW1/4, NW1/4, Section 20, T 8N, R 4E, Waymansville Quadrangle

Quad Code: 3908611

UTM Coordinates: Downstream 4330200 North, 576350 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23076

Stream : Hurricane Creek

Applicant : Johnson County Commissioners

Andrew J Wortkoetter, PE

1051 Hospital Road Franklin, IN 46131-9025

Description : The superstructure of the existing single-span bridge carrying Monroe Street over

Hurricane Creek will be rehabilitated and widened to satisfy INDOT and AASHTO requirements. The 32' deck will be increased by extending only the copings upstream and downstream 1.25' thereby increasing the out-to-out width to 34.5'. The adjacent box beams will be replaced, but not increased in number. The approach roads will not be raised and there will be minimal or no work in the channel. This project will be constructed as a "Design/Build project," and will not be federally funded. Details of the project are contained in information received

electronically at the Division of Water on September 15, 2004.

Location : At the Monroe Street stream crossing

at Franklin, Franklin Township, Johnson County

SW1/4, SE1/4, SE1/4, Section 14, T 12N, R 4E, Franklin Quadrangle

Quad Code: 3908641

UTM Coordinates: Downstream 4370430 North, 581780 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 19 09/16/2004 10:05 AM

Application # : FW-23078

Stream : Branch Creek

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 4" diameter sanitary sewage

vacuum main. Pipe to be buried 3' below the creek bottom. The banks of the creek will be stabilized with rip-rap following the completion of the vacuum sewer to prevent soil erosion and bank deterioration. Construction will be confined to the road right-of-way. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received

electronicaly at the Division of Water on August 24, 2004.

Location : Approximately 120'± northeast of the end of Jones Lake Rd.

near Rome City, Orange Township, Noble County

Section 7, T 35N, R 10E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-23079

Stream : Dry Run Ditch

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 4" diameter sanitary sewage

vacuum main. Pipe to be buried a minimum of 3' below the ditch bottom. The banks of the ditch will be stabilized with rip-rap following the completion of the vacuum sewer to prevent soil erosion and bank deterioration. Construction will be confined to the road right-of-way. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on August 25, 2004.

Location : Approximately 120'± northeast of the end of Jones Lake Rd.

near Rome City, Orange Township, Noble County

Section 18, T 35N, R 10E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23080

Stream : Boyd Ditch

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 6" diameter sanitary sewage

effluent pressure main. Pipe to be buried a minimum of 3' below the ditch bottom. The banks of the creek will be stabilized with rip-rap following the completion of the effluent pressure main to prevent soil erosion and bank deterioration.

Construction will be confined to the road right-of-way. Details of the project are contained in information received electronically at the Division of Water on August

24, 2004.

Location : Approximately 1.3 miles west of the intersection of C.R. 100W and C.R. 900N

near Rome City, Orange Township, Noble County

Section 15, T 35N, R 9E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 21 09/16/2004 10:05 AM

Application # : FW-23081

Stream : Koester Ditch

Applicant : Bonar Group

Corey A Williams

1700 Magnavox Way, Suite 110 Fort Wayne, IN 46804-1552

Description : A 50 ft x 500 ft area will be filled in the east floodplain of the Koester Ditch for the

construction of an access road to a commercial development. The fill will vary in depth from 6" on the landward side to approximately 5 ft on the streamward side. It will be set 80-100 ft back from the top of the bank and will have 3:1 sideslopes. The finished elevation of the fill will be 774 ft, NGVD. The access road will be constructed on top of the completed fill. The fill material will be obtained by excavating a borrow pit approximately 1500 ft south of the fill area. The pit will be approximately 85 ft x 295 ft with an average depth of 3 ft. Details of the project are contained in information received electronically at the Division of Water on

September 16, 2004.

Location : This project is located on the south side of Maysville Road in Allen County,

Indiana. It is approximately 2200 feet southwesterly from the intersection of I-469. in St. Joseph Township. This access road will parallel the Koester ditch

approximately 200' to the Northeasterly of it.

At Fort Wayne, St. Joseph Township, Allen County

Section 24, T 31N, R 13E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 22 09/16/2004 10:05 AM

Application # : PL-19937

Lake : Webster Lake

Applicant : John R and Darlene K Stewart

4015 Augusta Lane Elkhart, IN 46517-3859

Description : A concrete seawall will be constructed across 250' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. The seawall will be connected to existing seawalls on the adjacent properties. Details of the project are contained in information and plans received at the

Division of Water on August 6, 2004.

Location : 901 East Willis Park Road, Lot 18

near North Webster, Tippecanoe Township, Kosciusko County

SW1/4, NW1/4, NW1/4, Section 14, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4575073 North, 609669 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19941

Lake : Big Chapman Lake

Applicant : Michael Pretorius

424 South State Road 115 Wabash, IN 46992-8486

Description : A reface layer of glacial stone will be placed along 70' of the lakeward face of an

existing 70' concrete seawall. A 12" layer of glacial stone will be placed at the base of the seawall for toe protection. Details of the project are contained in information and plans received at the Division of Water on August 11, 2004

Location : #47 EMS C24C, Lot #7, Osborne Bayshore Subdivision

near Wabash, Plain Township, Kosciusko County

SW¼, SE¼, SW¼, Section 26, T 33N, R 6E, Leesburg Quadrangle

Quad Code: 4108537

UTM Coordinates: Downstream 4570170 North, 600702 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19942

Lake : Hamilton Lake

Applicant : Mr and Mrs Sam Nagel

604 Shady Lane

Ossian, IN 46777-9312

Description : A concrete seawall will be refaced with a layer of concrete across 43' of the

applicant's frontage. The refacing will be keyed to the wall's lakeward face. A 48" wide concrete walkway will be constructed on top of the new seawall, and a 9' concrete slab will be placed landward of the walkway. Details of the project are contained in information and plans received at the Division of Water on August

13, 2004 and August 30, 2004.

Location : 720 Lane 221B, Lot 36, Penn Park Addition

near Ossian, Otsego Township, Steuben County

Hamilton Quadrangle Quad Code: 4108458

UTM Coordinates: Downstream 4601026 North, 673233 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19943

Lake : Lake Wawasee

Applicant : Hess Property Owners Association

Clarence Eyer

8256 East North Road Syracuse, IN 46567-9596

Description : Four areas of an existing 150' concrete seawall will be repaired by patching

cracks and holes. Additionally 12" of glacial stone will be place on the lakeward side of the seawall as toe protection. Details of the project are contained in information and plans received at the Division of Water on August 16, 2004.

Location : At the northeast end of North Road, Hess Property owners' park

near Syracuse, Turkey Creek Township, Kosciusko County

NW1/4, NE1/4, SW1/4, Section 23, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4582243 North, 609909 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19944

Lake : Dallas Lake

Applicant : Donald A Christen

0030 West- 590 South Wolcottville, IN 46795

Description : A concrete seawall will be constructed across 33' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of

Water on August 16, 2004 and August 31, 2004.

Location : 0030 West 590 South, lot 78

near Wolcottville, Clearspring Township, LaGrange County

SE¼, SE¼, SE¼, Section 24, T 36N, R 9E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4601509 North, 631472 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19947

Lake : Lake Gage

Applicant : Kevin Kolar

6715 West North Lake Gage Drive

Angola, IN 46703-9736

Description : A concrete seawall will be refaced with a layer of concrete across 97' of the

applicant's frontage. The refacing will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on August 18, 2004 and August 30, 2004.

Location : 6715 West North Lake Gage Drive

near Angola, Millgrove Township, Steuben County

SE¼, SE¼, NW¼, Section 35, T 38N, R 12E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4618796 North, 656811 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19948

Lake : Crooked Lake

Applicant : Eugene Lowden

1405 Canal Street

New Haven, IN 46774-1508

Description : A concrete seawall will be refaced with a layer of concrete across 40' of the

applicant's 80' frontage. The refacing will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on August 18, 2004 and August 30, 2004.

Location : lot 9 Pleasant Hill Addition

near Angola, Pleasant Township, Steuben County

SW1/4, SW1/4, NE1/4, Section 9, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4615812 North, 663401 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19949

Lake : Big Barbee Lake

Applicant : Mark S Lawson

320 EMS B 1 Lane

Leesburg, IN 46538-8978

Description : A concrete seawall will be constructed across 70' of the applicant's 70' frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on August 20, 2004

Location : 320 EMS B 1 Lane

near Leesburg, Tippecanoe Township, Kosciusko County

SW¼, SW¼, NE¼, Section 27, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4571311 North, 608946 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19951

Lake : Simonton Lake

Applicant : David and Betty Gawthrop

5133 Maple Wood Drive Elkhart, IN 46514-6263

Description : A railroad tie seawall will be refaced with a layer of steel sheet pilings across 36'

of the applicant's frontage. Details of the project are contained in information and plans received at the Division of Water on August 24, 2004 and August 31, 2004.

Location : 51330 Maplewood Drive, Lot 9, Maplewood Second Addition

near Elkhart, Osolo Township, Elkhart County

SE14, SW14, SW14, Section 16, T 38N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

UTM Coordinates: Downstream 4622284 North, 586342 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19953

Lake : Beaver Dam Lake

Applicant : Douglas Farrell

7329 Kokomo Road

Claypool, IN 46510-9348

Description : A concrete seawall will be refaced with a layer of concrete across 88' of the

applicant's frontage. The refacing will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on August 23, 2004 and August 30, 2004.

Location : 7329 Kokomo Road

near Beaver Dam, Seward Township, Kosciusko County

SE14, NW14, SE14, Section 33, T 31N, R 5E, Silver Lake Quadrangle

Quad Code: 4108518

UTM Coordinates: Downstream 4549203 North, 586361 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19954

Lake : Beaver Dam Lake

Applicant : Eugene F Seiman

201 Administration Boulevard Winona Lake, IN 46590-1004

Description : A concrete seawall will be constructed across 41' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. The existing, deteriorated concrete seawall will be removed. Details of the project are contained in information and plans received at the Division of Water on August

24, 2004 and August 30, 2004.

Location : 7598 Swick Road, lot 25, Beaver Dam Park

near Beaver Dam, Seward Township, Kosciusko County

NE14, SE14, SW14, Section 33, T 31N, R 5E, Silver Lake Quadrangle

Quad Code: 4108518

UTM Coordinates: Downstream 4548951 North, 585942 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19955

Lake : Martin Lake

Applicant : Herbert and Joan Dulinsky

2130 East 525 South

Wolcottville, IN 46795-9243

Description : A glacial stone seawall will be constructed across 112' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on August 25, 2004 and August 31, 2004.

Location : 2130 East 525 South, lots 18,19, 20 and 21

near Wolcottville, Johnson Township, LaGrange County

NE¼, SW¼, NW¼, Section 21, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4602628 North, 634743 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19980

Lake : Waldron Lake

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 6" diameter sanitary sewage

vacuum main and the construction of a 6" diameter sanitary sewage pressure main. Pipes to be buried a minimum of 3' below the channel bottom. The banks of the channel will be stabilized with rip-rap following the completion of the vacuum

sewer to prevent soil erosion and bank deterioration. Construction will be confined to the proposed easement. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on August 24,2004.

Location : Approximately 100'± east of the end of Lakeview Drive in orange Township,

Noble County IN. Section 18, Township 35N, Range 10E.

near Rome City, Orange Township, Noble County

T 35N, R 10E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19981

Lake : Jones Lake

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 6" diameter sanitary sewage

vacuum main. Pipe to be buried a minimum of 3' below the channel bottom. The banks of the channel will be stabilized with rip-rap following the completion of the vacuum sewer to prevent soil erosion and bank deterioration. Construction will be confined to the road right-of-way. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on August 25, 2004.

Location : Approximately 1.5 miles west of the intersection of C.R. 1000N and C.R. 150E,

channel crossing will be on 100N in Orange Township, Noble County IN. Section

7, Township 35N, Range 10E.

near Rome City, Orange Township, Noble County

Section 7, T 35N, R 10E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19982

Lake : Waldron Lake

Applicant : West Lakes Regional Sewer District

Jim McLaughlin

46 West Waldron Drive Wawaka, IN 46794-9743

Description : Proposed project involves the construction of a 4" diameter sanitary sewage

vacuum main. Pipe to be buried a minimum of 3' below the channel bottom. The banks of the channel will be stabilized with rip-rap following the completion of the vacuum sewer to prevent soil erosion and bank deterioration. Construction will be confined to the road right-of-way. Plans, specifications and photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on August 24,2004

Location : Approximately 100'± northwest of the end of Sunny Acres N in Orange Township,

Noble County IN. Section 18, Township 35N, Range 10E.

near Rome City, Orange Township, Noble County

T 35N, R 10E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 31 09/16/2004 10:05 AM